


UT-ED

6-12" (152-356mm)

The UT mandrel was designed to house a transmitter located in the center of the slotted universal mandrel. It can also accommodate virtually any configuration of cup, disc and brush. This allows the pig to clean and batch many dissimilar fluids.

When it comes to displacing air and water during hydrostatic testing carried out during construction, the UT-ED gets the job done, quickly and efficiently. With its bi-directional design, it can travel in either direction.



Size	A	B	C	Part #
6"	7.250	11.750	6.375	70-7066-06
8"	8.880	14.130	8.375	70-7066-08
10"	10.240	15.740	10.500	70-7066-10
12"	12.750	19.000	12.500	70-7066-12
14"	15.120	21.370	13.880	70-7066-14

Designed to negotiate 1.5D or greater bends.

Features & Benefits:

- Equipped with discs made from Reliathane, Apache's special blend of wear-resistant polyurethane.
- Standard bumper noses cushion the pig and help to protect in-line auxiliary equipment.

Options Available:

- CARVER discs. See page 5-20 for additional information.
- Aluminum Gauge Plates in standard or slotted styles. See page 6-4 for additional information.
- Radial Brush options available. See page 5-23 for additional information.
- Magnets to collect metallic debris. See page 6-2 for additional information.